

Date: Friday, 11/04/2008 9:02:08 AM  
 User: Julie Lecocq

## Process Sheet

Customer	: CU-DAR001 Dart Helicopters Services		Drawing Name	: TUBE ASSEMBLY		
Job Number	: 38554		Part Number	: D2003101		
Estimate Number	: 11923		Drawing Number	: <u>UNDER REVIEW</u> 08-04-11		
P.O. Number	:		Project Number	: N/A		
This Issue	: 11/04/2008	S.O. No. :	Drawing Revision	: B		
Prsht Rev.	: NC		Material	:		
First Issue	: / /	Type : SMALL /MED FAB	Due Date	: 21/04/2008	Qty:	6
Previous Run	: 29933		Um:	Each		
Written By	:					
Checked & Approved By	: <u>JD</u> 08-04-11					
Comment	: Est. B 99.11.11 Re-format EC					

## Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :	
1.0	M6061T6T0375W035	6061-T6 Tube .375 x.035W	
		Comment: Qty.: 1.1485 f(s)/Unit Total : 6.8909 f(s) Cut: 13.13" long as per Dwg D2003 Material: 3/8" x 0.035" wall 6061-T6 tubing Batch: <u>M104921</u>	FF 08-04-16
2.0	M26506	Firesleeve-crkl .375IDia	
		Comment: Qty.: 1.1593 f(s)/Unit Total : 6.9558 f(s) Cut: 13.25" long as per Dwg D2003 Material: M2650-6 Heat sleeve Batch: <u>M106781</u>	FF 08-04-16
3.0	MS208196D	Sleeve	
		Comment: Qty.: 2.0000 Each(s)/Unit Total : 12.0000 Each(s) Sleeve Pick: Qty Part Number Description Batch 2 MS20819-6D Sleeve <u>M107534</u>	FF 08-04-16
4.0	AN8186D	Nut	
		Comment: Qty.: 2.0000 Each(s)/Unit Total : 12.0000 Each(s) Nut Pick: Qty Part Number Description Batch 2 AN818-6D Nut <u>M103154</u>	FF 08-04-16

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Friday, 11/04/2008 9:02:08 AM  
User: Julie Lecocq

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services		Drawing Name: TUBE ASSEMBLY
Job Number: 38554		Part Number: D2003101
Job Number:		
Seq. #:	Machine Or Operation:	Description :
5.0	D2182045	Heat Shrink 4.5" Long 
Comment: Qty.: 1.0000 Each(s)/Unit Total: 6.0000 Each(s) Heat Shrink $\uparrow$ 2" EACH $\rightarrow$ 12.00		
Pick: Qty Part Number Description Batch 1 D2182-045 Heat shrink <u>M17067</u>		FF 08-04-16
6.0	SMALL FAB 1	SMALL & MEDIUM FAB RESOURCE 1 
Comment: SMALL & MEDIUM FAB RESOURCE 1 Form tube as per template D2003-101 Assemble as per Dwg D2003		<p>→ CONFIRM CUT LENGTH WITH ENG. 08.04.1 CUT LENGTH OV. 508.0mm FF 08-04-16</p>
7.0	QC5	INSPECT WORK TO CURRENT STEP 
Comment: INSPECT WORK TO CURRENT STEP		<u>08/04/17 EG</u>
8.0	PACKAGING 1	PACKAGING RESOURCE #1 
Comment: PACKAGING RESOURCE #1 Identify and Stock Location: ST192		<u>AS 08/04/17 X6</u>
9.0	QC21	FINAL INSPECTION/W/O RELEASE 
Comment: FINAL INSPECTION/W/O RELEASE		<u>08/04/17 AJ</u>
Job Completion		
		MF 08-04-17

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_  
 QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED	APPROVED	DRAWING NO.	REV. B
DATE		D2003	SHEET 1 OF 2
99.06.08		TITLE	
		SCALE	
		206 CABIN HEATER TUBE ASSEMBLIES NTS	
A	90.04.09	NEW ISSUE	
B	99.06.08	UPDATE PER TEMPLATES; ADD P/N'S; 0.025 TUBING NOW 0.035 (TSR1049)	

RELEASED  
99.06.08 KEN

UNDER REVIEW

06.08.21 CB

Some flat  
lengths wrong

08.04.11

P/N	TEMPLATE	HEATSLEEVE LENGTH <sup>1</sup>	CUT LENGTH <sup>2</sup> OF TUBE <sup>2</sup>	MS20819-8J SLEEVE	AN818-8J NUT	MS20819-8D SLEEVE	AN818-8D NUT	MS20819-6D SLEEVE	AN818-6D NUT	DESC.	MATERIAL <sup>4/87</sup>	VENDOR OR SPEC
				MS20819-8J SLEEVE	AN818-8J NUT	MS20819-8D SLEEVE	AN818-8D NUT	MS20819-6D SLEEVE	AN818-6D NUT			
D2003-001	T2003-001	5.2	6.00					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WWV-T-700/6
D2003-003	T2003-003	7.3	8.12					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WWV-T-700/6
D2003-005	T2003-005	9.8	10.62					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WWV-T-700/6
D2003-007	T2003-007	20.0	19.63					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WWV-T-700/6
D2003-009	T2003-009	12.38	12.44					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WWV-T-700/6
D2003-011	T2003-011	33.31	32.38					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WWV-T-700/6
D2003-013	T2003-013	12.7	13.54					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WWV-T-700/6
D2003-015	T2003-015	17.2	18.00					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WWV-T-700/6
D2003-017	T2003-017	17.0	16.25					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WWV-T-700/6
D2003-019	T2003-019	9.8	10.62		2	2				TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WWV-T-700/6
D2003-021	T2003-021	N/A	2.25		2	2				TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WWV-T-700/6
D2003-023	T2003-023	4.5	5.33		2	2				TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WWV-T-700/6
D2003-025	T2003-025	9.8	10.60		2	2				TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WWV-T-700/6
D2003-027	T2003-027	7.25	7.38		2	2				TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WWV-T-700/6
D2003-029	T2003-029	17.2	18.00		2	2				TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WWV-T-700/6
D2003-031	T2003-031	14.6	15.38	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-033	T2003-033	29.75	29.62	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-035	T2003-035	24.7	27.00	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-037	T2003-037	24.81	23.38	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-039	T2003-039	34.0	34.00	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-041	T2003-041	6.0	5.88	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-043	T2003-043	11.7	10.75	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-045	T2003-045	3.50	2.44	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-047	T2003-047	5.56	5.56	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-049	T2003-049	33.2	34.00	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-077	T2003-077	N/A	6.25					1	1	JET	6061-T6 0.375 OD x 0.035 W	WWV-T-700/6
D2003-101	T2003-101	13.25	13.13					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WWV-T-600/6
D2003-103	T2003-103	12.38	12.00					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WWV-T-600/6
D2003-105	T2003-105	10.75	10.60					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WWV-T-600/6
D2003-107	T2003-107	12.75	12.25					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WWV-T-600/6
D2003-109	T2003-109	8.25	8.125		2	2				TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WWV-T-600/6
D2003-111	T2003-111	4.75	4.625		2	2				TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WWV-T-600/6
D2003-116	T2003-116	4.0								HEATSLEEVE	M2650-20 CRINKLE-SOFT	STRATOFLEX
D2003-120	T2003-120	4.0								HEATSLEEVE	M2650-16 CRINKLE-SOFT	STRATOFLEX
D2003-14	T2003-14	4.0								HEATSLEEVE	M2650-14 CRINKLE-SOFT	STRATOFLEX
D2003-16	T2003-16	4.0								HEATSLEEVE	M2650-16 CRINKLE-SOFT	STRATOFLEX
D2003-205	T2003-205	9.75	9.60					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WWV-T-700/6
D2003-207	T2003-207	3.75	3.75					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WWV-T-700/6

RETURN TO

ENGINEERING

UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE

WORK ORDER  
NO. 38331



DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
CHECKED	APPROVED	DRAWING NO. D2003
DATE		TITLE 206 CABIN HEATER TUBE ASSEMBLIES NTS

REV. B

SHEET 2 OF 2

**RELEASED**  
99.06.08 RE**UNDER REVIEW**


06.08.21 FB

Some flat lengths  
other wrong

OK

## Notes:

- (1) USE STRATOFLEX M2650-6 CRINKLE-SOFT HEATSLEEVE.
- (2) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATES.
- (3) TUBES TO BE FLARED 30° TO MATE WITH FITTINGS MADE TO MS33514.
- (4) ENSURE SEAMLESS TUBING IS USED.
- (5) INSTALL HEATSLEEVE OVER ALL TUBES WITH A DESIGNATED LENGTH OF HEATSLEEVE PER THE PARTS LIST.
- (6) 5052 (WW-T-700/4) TUBING MAY BE SUBSTITUTED WHEN 6061 TUBING IS NOT AVAILABLE.
- (7) 0.049 WALL THICKNESS CRES TUBING MAY BE SUBSTITUTED WHEN 0.035 IS NOT AVAILABLE.
- (8) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.



SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 38554